RESENE SRG INDUSTRIAL GRIT

Resene Paints LTD

Version No: 2.2

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Issue Date: **22/04/2024**Print Date: **22/04/2024**L.GHS.NZL.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	RESENE SRG INDUSTRIAL GRIT
Chemical Name	aluminium oxide
Synonyms	Not Available
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses 8549

Details of the manufacturer or supplier of the safety data sheet

	_ ••
Registered company name	Resene Paints LTD
Address	32-50 Vogel Street Wellington 5011 New Zealand
Telephone	+64 4 5770500
Fax	+64 4 5773327
Website	www.resene.co.nz
Email	advice@resene.co.nz

Emergency telephone number

Association / Organisation	NZ POISONS (24hr 7days)	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone numbers	0800 764766	+64 800 700 112
Other emergency telephone numbers	Not Available	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

Classification [1]	Not Applicable
Determined by Chemwatch using GHS/HSNO criteria	Not Available

Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Version No: 2.2 Page 2 of 7 Issue Date: 22/04/2024

RESENE SRG INDUSTRIAL GRIT

Print Date: 22/04/2024

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1344-28-1.	>99	aluminium oxide
Legend:	Legend: 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ▶ wash out with water
Inhalation	If dust isinhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

•		
Fire Inco	mpatibility	None known.

Advice for firefighters

Fire Fighting • Alert Fire Brigade and tell them location and nature of hazard.		
Fire/Explosion Hazard	Under certain conditions the material may become combustible because of the ease of ignition which occurs after the material reaches a high specific area ratio (thin sections, fine particles, or molten states). Decomposition may produce toxic fumes of: metal oxides When aluminium oxide dust is dispersed in air, firefighters should wear protection against inhalation of dust particles, which can also contain hazardous substances from the fire absorbed on the alumina particles.	

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Sweep up spilled material and place in suitable container for disposal.
Major Spills	▶ Clear area of personnel, sweep up spilled material and place in suitable container for disposal.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling	► Limit all unnecessary personal contact.
Other information	▶ Store in original containers.

Version No: **2.2** Page **3** of **7** Issue Date: **22/04/2024**

RESENE SRG INDUSTRIAL GRIT

Print Date: 22/04/2024

Conditions for safe storage, including any incompatibilities

Suitable container	As supplied by manufacturer.
Storage incompatibility	▶ None Known

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
New Zealand Workplace	aluminium	Aluminium metal and insoluble aluminium compounds (including pyro powder, aluminium oxide, and aluminium welding fumes), as Al respirable dust	1	Not	Not	Not
Exposure Standards (WES)	oxide		mg/m3	Available	Available	Available
New Zealand Workplace	aluminium	Inhalable dust (not otherwise classified)	10	Not	Not	Not
Exposure Standards (WES)	oxide		mg/m3	Available	Available	Available
New Zealand Workplace	aluminium	Respirable dust (not otherwise classified)	3	Not	Not	Not
Exposure Standards (WES)	oxide		mg/m3	Available	Available	Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
aluminium oxide	15 mg/m3	170 mg/m3	990 mg/m3

Ingredient	Original IDLH	Revised IDLH
aluminium oxide	Not Available	Not Available

MATERIAL DATA

For aluminium oxide and pyrophoric grades of aluminium:

Twenty seven year experience with aluminium oxide dust (particle size 96% 1,2 um) without adverse effects either systemically or on the lung, and at a calculated concentration equivalent to 2 mg/m3 over an 8-hour shift has lead to the current recommendation of the TLV-TWA.

The experimental and clinical data indicate that aluminium oxide acts as an 'inert' material when inhaled and seems to have little effect on the lungs nor does it produce significant organic disease or toxic effects when exposures are kept under reasonable control.

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 'Safety glasses with side shields Chemical goggles.
Skin protection	See Hand protection below
Hands/feet protection	Polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities.

Respiratory protection

Particulate. Dust mask or dust respirator is required in working area.

- · Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- · Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- · Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- · Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- \cdot Try to avoid creating dust conditions.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Coarse particles

 Version No: 2.2
 Page 4 of 7
 Issue Date: 22/04/2024

 Print Date: 22/04/2024
 Print Date: 22/04/2024

RESENE SRG INDUSTRIAL GRIT

Physical state	Solid	Relative density (Water = 1)	3.95
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	0
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Available

SECTION 10 Stability and reactivity

Vapour density (Air = 1)

Not Available

Reactivity	See section 7
Chemical stability	stable
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

VOC g/L

SECTION 11 Toxicological information

Information on toxicological effects

Ingestion The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Open cuts, abraded or irritated skin should not be exposed to this material Eye Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Chronic Chronic Chronic TOXICITY IRRITATION Not Available TOXICITY Inhalation (Rat) LC50: >0.888 mg/l4h ^[1] Eye: no adverse effect observed (not irritating) ^[1] Oral (Rat) LD50: >2000 mg/kg ^[1] Skin: no adverse effect observed (not irritating) ^[1]	information on toxicological el	rects		
The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Open cuts, abraded or irritated skin should not be exposed to this material Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Chronic Chronic Chronic Chronic Toxicity Interverse to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Toxicity Interverse to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Toxicity Interverse to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Toxicity Interverse to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Toxicity Interverse to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Interverse to the product with the eye may cause transient discomforting to produce chronic effects adverse to health (as classified by EC Directives), direct contact with the eye may cause transient discomforting to produce chronic effects adverse to health (as classified by EC Directives), direct contact with the eye may cause transient discomforting to produce the product is not hought produce the product	Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).		
Skin Contact Models). Open cuts, abraded or irritated skin should not be exposed to this material Eye Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Chronic Chronic Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. TOXICITY INTERITATION Not Available TOXICITY Inhalation (Rat) LC50: >0.888 mg/l4h ^[1] Dral (Rat) LD50: >2000 mg/kg ^[1] Skin: no adverse effect observed (not irritating) ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwing the standard of the support of the suppor	Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'.		
discomfort characterised by tearing or conjunctival redness (as with windburn). Chronic Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. TOXICITY Not Available TOXICITY INTITATION Not Available TOXICITY Inhalation (Rat) LC50: >0.888 mg/l4h ^[1] Dral (Rat) LD50: >2000 mg/kg ^[1] Skin: no adverse effect observed (not irritating) ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwing the substances of the substances of the substance of	Skin Contact			
TOXICITY IRRITATION Not Available	Еуе			
TOXICITY Inhalation (Rat) LC50: >0.888 mg/l4h ^[1] Oral (Rat) LD50: >2000 mg/kg ^[1] Legend: Not Available Not Available Not Available Not Available IRRITATION Eye: no adverse effect observed (not irritating) ^[1] Skin: no adverse effect observed (not irritating) ^[1] 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwing the state of the sta	Chronic			
TOXICITY Inhalation (Rat) LC50: >0.888 mg/l4h ^[1] Oral (Rat) LD50: >2000 mg/kg ^[1] Legend: Not Available Not Available Not Available Not Available Not Available IRRITATION Eye: no adverse effect observed (not irritating) ^[1] Skin: no adverse effect observed (not irritating) ^[1] 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwing the state of the s				
Aluminium oxide TOXICITY Inhalation (Rat) LC50: >0.888 mg/l4h ^[1] Oral (Rat) LD50: >2000 mg/kg ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwing the state of the	RESENE SRG INDUSTRIAL	TOXICITY		IRRITATION
aluminium oxide Inhalation (Rat) LC50: >0.888 mg/l4h ^[1] Oral (Rat) LD50: >2000 mg/kg ^[1] Skin: no adverse effect observed (not irritating) ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwing the substances of the substance of		Not Available		Not Available
aluminium oxide Inhalation (Rat) LC50: >0.888 mg/l4h ^[1] Oral (Rat) LD50: >2000 mg/kg ^[1] Skin: no adverse effect observed (not irritating) ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwing the substances of the substance of				
Oral (Rat) LD50: >2000 mg/kg ^[1] Skin: no adverse effect observed (not irritating) ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwi		TOXICITY	IRRIT	TATION
Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS. Unless otherwine toxicity 2. Value obtained from manufacturer's SDS.	aluminium oxide	Inhalation (Rat) LC50: >0.888 mg/l4h ^[1]	Eye:	no adverse effect observed (not irritating) ^[1]
		Oral (Rat) LD50: >2000 mg/kg ^[1] Skin: no adverse effect observed (not irritating) ^[1]		
	Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		

Version No: 2.2 Page 5 of 7 Issue Date: 22/04/2024

RESENE SRG INDUSTRIAL GRIT

RESENE SRG INDUSTRIAL GRIT	For aluminium compounds: Aluminium present in food and drinking water is po	For aluminium compounds: Aluminium present in food and drinking water is poorly absorbed through the gastrointestinal tract.		
ALUMINIUM OXIDE	No significant acute toxicological data identified in literature search.			
Acute Toxicity	×	Carcinogenicity	×	
Skin Irritation/Corrosion	×	Reproductivity	×	
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×	
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×	

Legend:

★ – Data either not available or does not fill the criteria for classification

Print Date: 22/04/2024

— Data available to make classification

Aspiration Hazard

SECTION 12 Ecological information

Mutagenicity

Toxicity

RESENE SRG INDUSTRIAL GRIT	Endpoint	Test Duration (hr)		Species	Value		Source	
	Not Available	Not Available Not Available		Not Available	Not Available		Not Available	
	Endpoint	Test Duration (hr)	Species	S		Value		Source
	LC50	96h	Fish	Fish 0.078		0.078-0.108m	g/l	2
	EC50	72h	Algae o	Algae or other aquatic plants		0.017mg/L		2
aluminium oxide	EC50	48h	Crustacea		0.736mg/L		2	
	NOEC(ECx)	72h	Algae or other aquatic plants		>100mg/l		1	
	EC50	96h	Algae o	r other aquatic plants		0.005mg/L		2
Legend:	Ecotox database -	IUCLID Toxicity Data 2. Euro Aquatic Toxicity Data 5. ECL entration Data 8. Vendor Data	TOC Aquatic		•			-

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential

Ingredient	Bioaccumulation	
	No Data available for all ingredients	

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal	▶ Recycle wherever possible or consult manufacturer for recycling options.Resene Paintwise accepts residual unwanted paint and packaging. See Resene website for Paintwise information. Or contact a Local Authority for the disposal information
------------------------------	---

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Not applicable as substance/ material is non hazardous.

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Version No: **2.2** Page **6** of **7** Issue Date: **22/04/2024**

RESENE SRG INDUSTRIAL GRIT

Print Date: 22/04/2024

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
aluminium oxide	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
aluminium oxide	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard	
Not Applicable	Not Applicable	

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

aluminium oxide is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Workplace Exposure Standards (WES)

Additional Regulatory Information

Not Applicable

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory Status				
National Inventory	Status			
Australia - AIIC / Australia Non- Industrial Use	Yes			
Canada - DSL	Yes			
Canada - NDSL	No (aluminium oxide)			
China - IECSC	Yes			
Europe - EINEC / ELINCS / NLP	Yes			
Japan - ENCS	Yes			
Korea - KECI	Yes			
New Zealand - NZIoC	Yes			
Philippines - PICCS	Yes			
USA - TSCA	Yes			

Version No: 2.2 Page 7 of 7 Issue Date: 22/04/2024
Print Date: 22/04/2024

RESENE SRG INDUSTRIAL GRIT

Yes = All CAS declared ingredients are on the inventory

SECTION 16 Other information

Revision Date	22/04/2024
Initial Date	21/05/2019

No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SDS Version Summary

National Inventory

Taiwan - TCSI

Mexico - INSQ

Vietnam - NCI

Legend:

Russia - FBEPH

Version	Date of Update	Sections Updated
1.2	21/04/2024	Physical and chemical properties - Appearance, Firefighting measures - Fire Fighter (fire/explosion hazard), Composition / information on ingredients - Ingredients, Identification of the substance / mixture and of the company / undertaking - Supplier Information

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit

Status

Yes

Yes

Yes

Yes

- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- ► OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- ► DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ► EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ► ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- ► NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- ► TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.