

Resene product labels are updated from time to time. This label is provided as a guide for this product and may differ from the label on the container you purchase. Please discuss your project with your local Resene ColorShop team or reseller to ensure you have the right products to give you the best quality finish for your specific project.

DANGER

KEEP OUT OF REACH OF CHILDREN

Resene

Deep Clean

**path, patio and deck care
concentrate**

exterior

net contents 1 litre

LL8469501B 9/21

SAFETY PRECAUTIONS

Read label before use. Keep out of reach of children. Causes severe skin burns and eye damage. Very toxic to aquatic life.

PRECAUTIONS

DO NOT BREATHE MIST, VAPOURS OR SPRAY.

Store in original or correctly labelled container, tightly closed, in a well ventilated area indoors, away from foodstuffs, at an ambient temperature and avoid freezing conditions. Store locked up. Wear protective gloves and clothing, eye and face protection. Wash all exposed external body areas thoroughly after handling. Avoid release to the environment. Collect spillage.

FIRST AID

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTRE, doctor or first aider if you feel unwell.

IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation occurs get medical advice. Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If eye irritation persists get medical advice or attention.

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms call a POISON CENTRE, doctor or first aider.

If exposed or concerned get medical advice or attention. If medical attention is required have product container or label at hand.

Further information can be obtained from
AUST: POISONS INFORMATION CENTRE 131 126
or call Resene 1800 738 383.

NZ: NATIONAL POISONS CENTRE 0800 POISON (764 766)
or call Resene 0800 737 363.

CONTAINS: Benzyltrimethyldecylammonium Chloride 5-100 g/L.
For use in cleaning exterior surfaces.

For full technical instructions see Data Sheet D815.

CAUTION

- Do not add Resene Deep Clean to paint.
- Do not allow the product to come into contact with plants, stormwater outlets, streams or animals. May kill aquatic life if allowed to enter the stormwater system. Divert all roof run-off to a sewer or alternative catchment system.

Resene Deep Clean is the simple, safe method of keeping all your outdoor areas free from moss, mould algae and lichen. Simply spray or brush on and leave Resene and nature to do the work. Slow acting Resene Deep Clean gets right down to the roots of the problem, destroying the growth and combining with nature to let the remains be weathered off leaving a cleaner surface. Ideal for use on paths, patios, decks and other exterior cementitious, timber and painted surfaces.

Application

- If you have sensitive skin, wear gloves during application to avoid contact with the skin. If skin contact does occur, wash the skin thoroughly with soap and water. Do not scrub skin.
- Avoid use on windy days and wet days as it will be difficult to control the spray and ensure that the surface is fully wetted with Resene Deep Clean.
- This pack is supplied as a concentrate. Dilute one part Resene Deep Clean to four parts clean water.
- Spray or brush the diluted Resene Deep Clean solution onto the areas to be treated until the surface is saturated. Porous surfaces must be fully wetted to ensure the best result is achieved.

- When treating lichen, ensure surface is dry, spot spray lichen and leave for 15-30 minutes. Then apply Resene Deep Clean to the whole area.
- Leave the solution to soak in - do not rinse off.
- It may take up to one week to see any visible effect on lichen, mould and algae.
- Areas suffering from heavy growth may require further application.
- After use, clean the application tool thoroughly with clean water.
- For an immediate exterior clean, use Resene Paint Prep and Housewash (see Data Sheet D812).

Resene Deep Clean is available in concentrate and also a ready to use quick and easy application trigger pack. Do not use the standard Resene Deep Clean to refill the trigger pack as the concentration in the trigger pack is much higher to allow for the hose water dilution rate.

Please ensure that use of this product is compatible with the substrate and surface preparation method. Resene does not accept any responsibility for the application of incorrect product to substrate. For further painting advice and information, call 1800 738 383 (AUST), 0800 737 363 (NZ) or visit the Resene website.

In Australia: Resene Paints (Aust) Limited
7 Production Ave, PO Box 924, Beenleigh, Qld 4207
Ph 1800 738 383 Visit resene.com.au

Resene
the paint the professionals use

In New Zealand: Resene Paints Ltd
Vogel St, PO Box 38242, Wgtn Mail Centre, Lower Hutt 5045
Ph 04 577 0500 Visit resene.co.nz

Manufactured under a quality system certified as complying with ISO 9001 by Telarc SAI, an accredited certification body. Printed on environmentally responsible paper, which meets with the requirements of environmental management system EMAS. Printed using de-inkable toners for recycling with no solvent emissions. Please recycle.



In every case it is recommended that the appropriate Data Sheet and Safety Data Sheet are consulted prior to application. For further painting advice and information, call 1800 738 383 (AUST), 0800 737 363 (NZ) or visit the Resene website.



Deep Clean SDS



Deep Clean TDS

